

## Galvanized Scaffold Tube 48 6.4kg/m Tensile Strength 420N/mm<sup>2</sup> for Safe Construction

### Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Minimum Order Quantity: 1000
- Price: 8.5-58.6
- Packaging Details: container
- Delivery Time: 10-15
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



#### Product Specification

- Thickness: 3.2mm
- Yield Strength: 245N/mm<sup>2</sup>
- Diameter: 48.3mm
- Weight: 6.4kg/m
- Name: Galvanised Scaffold Tube
- Material: Galvanised Steel
- Standard: EN39
- Surface Treatment: Galvanised
- Highlight: **420N/mm<sup>2</sup> Galvanized Scaffold Tube,  
Safe Construction Galvanized Scaffold Tube,  
6.4kg/m Tensile Strength Galvanized Scaffold Tube**



## Product Description

### Product Description:

Galvanised Scaffold Tube - The Ultimate Choice for Sturdy and Durable Construction

If you are looking for reliable and high-quality scaffolding steel tubes for your construction projects, then look no further than Galvanised Scaffold Tube. Our metal tubing is designed to provide exceptional support and durability, making it the perfect choice for any construction job.

Product Overview

Galvanised Scaffold Tube is a versatile and essential product in the construction industry. It is a type of metal tubing that is used to create scaffolding structures, providing a safe working platform for workers to carry out their tasks efficiently and securely. Our scaffold tubes are manufactured to meet the highest standards, ensuring safety and stability on any construction site.

Key Product Attributes

**Diameter:** Our scaffold tubes have a diameter of 48.3mm, making them the perfect size for construction purposes. This allows for easy assembly and compatibility with various scaffolding accessories.

**Weight:** Each tube weighs 6.4kg/m, making it lightweight enough for easy transportation and installation, yet sturdy enough to provide reliable support for workers and materials.

**Surface Treatment:** Our scaffold tubes are galvanised, which means they are coated with a layer of zinc to protect against corrosion and rust. This surface treatment ensures the longevity and durability of our tubes, making them suitable for use in any weather conditions.

**Standard:** Our scaffold tubes are manufactured according to EN39 standards, which guarantees their quality and safety. This standard is recognized and accepted worldwide in the construction industry.

**Thickness:** With a thickness of 3.2mm, our scaffold tubes are strong and sturdy, providing a stable and secure platform for workers to carry out their tasks without any worries.

Why Choose Galvanised Scaffold Tube?

There are many reasons why Galvanised Scaffold Tube is the ultimate choice for scaffolding steel tubes. Some of the key benefits include:

**Sturdy and Durable:** Our scaffold tubes are made from high-quality steel and are designed to withstand heavy loads and harsh working conditions. They are built to last, making them a cost-effective choice for any construction project.

**Corrosion-Resistant:** The galvanised coating on our scaffold tubes provides excellent protection against corrosion and rust, ensuring their longevity and durability.

**Versatile:** Our scaffold tubes can be used in various construction applications, such as building, maintenance, and repair work. They are also compatible with different types of scaffolding systems, making them a versatile and practical choice.

**Easy to Assemble:** With their standard diameter and lightweight design, our scaffold tubes are easy to handle and assemble, saving time and effort on the construction site.

At Galvanised Scaffold Tube, we are committed to providing top-quality products and excellent customer service. Our scaffold tubes are available in various lengths and can also be cut to your desired size. Contact us today to learn more about our products and how we can meet your scaffolding needs.

### Technical Parameters:

Technical Parameters	Values
Name	Galvanised Scaffold Tube
Diameter	48.3mm
Thickness	3.2mm
Weight	6.4kg/m
Material	Galvanised Steel
Surface Treatment	Galvanised
Tensile Strength	420N/mm2
Yield Strength	245N/mm2
Application	Scaffolding, bs1139 scaffolding tube
Standard	EN39



**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China